



Duration: 2 Hours

No. of MCQ : 100

Full Marks: 120

**INSTRUCTIONS**

1. All questions are of objective type having four answer options for each.
2. Category-I : Carry 1 mark each and only one option is correct. In case of incorrect answer or any combination of more than one answer,  $\frac{1}{4}$  mark will be deducted.
3. Category-II : Carry 2 marks each and one or more option(s) is/are correct. If all correct answers are not marked and no incorrect answer is marked, then score =  $2 \times$  number of correct answers marked  $\div$  actual number of correct answers. If any wrong option is marked or if any combination including a wrong option is marked, the answer will be considered wrong, but there is **no negative marking** for the same and zero mark will be awarded.
4. Questions must be answered on OMR sheet by darkening the appropriate bubble marked A, B, C, or D. Question booklet series code (A, B, C, or D) must be properly marked on the OMR.
5. Use only **Black/Blue ball point pen** to mark the answer by complete filling up of the respective bubbles.
6. Write question booklet number and your roll number carefully in the specified locations of the OMR. Also fill appropriate bubbles.
7. Write your name (in block letters), name of the examination center and put your full signature in appropriate boxes in the OMR.
8. The OMR is liable to become invalid if there is any mistake in filling the correct bubbles for question booklet number/roll number or if there is any discrepancy in the name/ signature of the candidate, name of the examination center. The OMR may also become invalid due to folding or putting stray marks on it or any damage to it. The consequence of such invalidation due to incorrect marking or careless handling by the candidate will be sole responsibility of candidate.
9. Candidates are not allowed to carry any written or printed material, calculator, pen, log-table, wristwatch, any communication device like mobile phones etc. inside the examination hall. Any candidate found with such items will be **reported against** and his/her candidature will be summarily cancelled.
10. Rough work must be done on the question paper itself. Additional blank pages are given in the question paper for rough work.
11. Hand over the OMR to the invigilator before leaving the Examination Hall.

JECA-2022

SPACE FOR ROUGH WORK



Category-I (Q 1 to 80)

(Carry 1 mark each. Only one option is correct. Negative marks : - ¼)

1. What is the output of the following program ?

```
#include <stdio.h>
void main ( )
{
    const int a=4;
    float b;
    b=++a;
    printf("%d, %f", a, ++b);
}
```

- (A) Compiler error (B) 5, 5  
(C) 4, 5 (D) 5, 4

2. What is the output of the following program ?

```
#include <stdio.h>
# define I char
void main ( )
{
    I i = 65;
    printf("sizeof(i) = %d", sizeof(i));
}
```

- (A) Compiler Error (B) sizeof(i) = 1  
(C) sizeof(i) = 65 (D) sizeof(i) = 66

3. What is the output of the following program ?

```
#include <stdio.h>
void main( )
{
    int x=0, y=0;
    if(x && y++)
        printf("%d..%d", x++, y);
    printf("%d.. %d", x, y);
}
```

- (A) 0..0 (B) 0..1  
(C) 1..1 (D) 1..0



4. What is the output of the following program ?

```
#include <stdio.h>
enum colors {BLACK, BLUE, CYAN};
void main ()
{
    printf ("%d..%d..%d", BLACK, BLUE, CYAN);
}
```

- (A) BLACK, BLUE, CYAN (B) 0..0..0  
(C) 0..1..2 (D) No output

5. What is the output of the following program ?

```
#include <stdio.h>
void main ()
{
    char xy=0;
    for(;xy>0;xy++);
    printf("%d\n", xy);
}
```

- (A) 2 (B) 0  
(C) Compiler error (D) 1

6. What is the output of the following program ?

```
#include<stdio.h>
void main()
{
    int *j;
    {
        int i =1000;
        j=&i;
    }
    printf("%d", *j);
}
```

- (A) 1000 (B) 0  
(C) Garbage value (D) Compiler error

7. Which of the following statement immediately terminates the execution of a loop ?

- (A) else (B) break  
(C) return (D) goto

8. An unrestricted use of the "goto" statement is harmful because \_\_\_\_.

- (A) it is difficult to verify program  
(B) memory requirement is increased  
(C) it increases execution time of the program  
(D) compiler generates longer machine code



9. In object oriented programming, inheritance is a technique to \_\_\_\_\_.
  - (A) pass arguments and improve data hiding
  - (B) pass arguments and add features to existing classes without rewriting them
  - (C) automatically acquire features from its parent object
  - (D) improve data hiding and encapsulation
10. In object oriented programming, the visibility mode by default is \_\_\_\_\_.
  - (A) public
  - (B) private
  - (C) protected
  - (D) anywhere
11. Which statement is false based on the concept of object oriented programming ?
  - (A) Method overloading is an example of compile time polymorphism.
  - (B) Method overriding is an example of runtime polymorphism.
  - (C) Derived class does not need a base class.
  - (D) Object oriented programming supports inheritance.
12. Method overloading in respect of object oriented programming is \_\_\_\_\_.
  - (A) overloading without argument passing
  - (B) overloading the method that has same name but different parameters
  - (C) a feature in which multiple functions with different names and same parameters
  - (D) not possible
13. In object oriented programming, \_\_\_\_\_ can be declared in a class template.
  - (A) global data members
  - (B) constant data members
  - (C) static data members
  - (D) statistical data members
14. In object oriented programming, same function or object behaves different in different situations. It is known as \_\_\_\_\_.
  - (A) inheritance
  - (B) polymorphism
  - (C) memory addressing
  - (D) encapsulation
15. Which of the following class constructor will be invoked first in object oriented programming ?
  - (A) Base class
  - (B) Virtual base class
  - (C) Abstract class
  - (D) Derived class
16. In object oriented programming, public members of a base class become protected member of the derived class. This situation happens in \_\_\_\_\_.
  - (A) Virtual inheritance
  - (B) Protected inheritance
  - (C) Private inheritance
  - (D) Public inheritance
17. In unix/linux platform, which vi editor command copies the current line of the file ?
  - (A) yy
  - (B) yw
  - (C) yc
  - (D) zz



18. In unix/linux platform, which command is used to delete a line in vi editor ?  
(A) p (B) dd  
(C) x (D) q
19. In unix/linux platform, which set is correct to move cursor within vi editor ?  
(A) h - Move cursor up, k - Move cursor down, j - Move cursor left, l - Move cursor right.  
(B) k - Move cursor up, j - Move cursor down, h - Move cursor left, l - Move cursor right.  
(C) k - Move cursor up, l - Move cursor down, h - Move cursor left, j - Move cursor right.  
(D) l - Move cursor up, j - Move cursor down, k - Move cursor left, h - Move cursor right.
20. In unix/linux platform, which command is used to see path of the working directory ?  
(A) ls (B) dir  
(C) vi (D) pwd
21. In unix/linux platform, which command is used to view the first n number of lines of a particular file (consider the file name is "filename") ?  
(A) head -n filename (B) tail -n filename  
(C) head -n -tail filename (D) top -n filename
22. In unix/linux platform, which command is used to search for a pattern within a file ?  
(A) cd (B) cp  
(C) paste (D) grep
23. In unix/linux platform, hidden file can be viewed using \_\_\_\_\_.  
(A) ls -a (B) ls -l  
(C) ls -h (D) ls -k
24. In unix/linux platform, what is the output of the following command (consider the file name is "filename") ?  
grep -v 'hello' filename  
(A) show the current directory  
(B) show the pattern ignoring case  
(C) show the lines which don't match with the pattern  
(D) show the line numbers at the time of result



25. In shell script, what is the output of the following program ?  

```

counter=1
while [ $counter -le 10 ]
do
    echo $counter
    ((counter++))
done

```

 (A) lists all the numbers from 1 to 10  
 (B) lists all the odd numbers from 1 to 10  
 (C) lists all the even numbers from 1 to 10  
 (D) lists only the 10th position number
26. Stack is a \_\_\_\_\_ in data structure concept.  
 (A) basic data type (B) derived data type  
 (C) float data type (D) char data type
27. In data structure, the stack is a linear type of data structure in which data is stored and retrieved in a \_\_\_\_\_ manner.  
 (A) No out only in (B) Last in First out  
 (C) First in First out (D) Last out Last in
28. In bubble sort algorithm, worst case time complexity is \_\_\_\_\_ considering 'n' is the number of elements.  
 (A)  $O(1)$  (B)  $O(n^2)$   
 (C)  $O(n)$  (D)  $O(n \log n)$
29. In data structure, a binary tree with 'n' nodes has \_\_\_\_\_.  
 (A) n edges (B) n+1 edges  
 (C) n-1 edges (D) n-2 edges
30. Merge sort follows \_\_\_\_\_ in data structure.  
 (A) divide and conquer strategy (B) back tracking approach  
 (C) heuristic search (D) greedy approach
31. In data structure, maximum degree of a vertex in a typical graph with 'n' vertices is \_\_\_\_\_.  
 (A) n (B) n - 1  
 (C) n + 1 (D) 2n - 1
32. In data structure, a graph is represented as a pair of sets (V, E), where \_\_\_\_\_.  
 (A) V is the set of variables and E is the set of edges  
 (B) V is the set of vertices and E is the set of edges  
 (C) V is the set of vertices and E is the set of elements  
 (D) V is the set of variables and E is the set of elements



33. In binary search tree data structure, in-order traversal means the nodes are being searched in \_\_\_\_\_ order.  
 (A) left child node – right child node – root node  
 (B) right child node – root node – left child node  
 (C) root node – right child node – left child node  
 (D) left child node – root node – right child node
34. Queue data structure can be utilized for \_\_\_\_\_ implementation.  
 (A) radix sort (B) quick sort  
 (C) recursion (D) depth first search
35. The hardware device used for direct memory access is known as \_\_\_\_\_.  
 (A) DMA scheduler (B) DMA controller  
 (C) DMA disk (D) DMA monitor
36. Hit ratio means \_\_\_\_\_.  
 (A)  $[\text{number of hit} / (\text{number of hit} + \text{number of miss})]$   
 (B)  $[\text{number of miss} / (\text{number of hit} + \text{number of miss})]$   
 (C) a negative value based on specific software  
 (D) a negative value based on specific hardware
37. A suspension of a process, caused by an event external to that process and performed in such a way that the process can be resumed, is known as \_\_\_\_\_.  
 (A) scheduler (B) interrupt  
 (C) deadlock (D) virtual memory
38. Operating system supports FCFS scheduling which is \_\_\_\_\_ type.  
 (A) viral (B) non-preemptive  
 (C) preemptive (D) multi-layer
39. Round robin is a type of \_\_\_\_\_ in context of operating system.  
 (A) fragmentation (B) process scheduling  
 (C) process synchronization (D) deadlock
40. In operating system, dispatcher module helps in \_\_\_\_\_ between the processes at CPU.  
 (A) spawning (B) processing  
 (C) killing (D) switching
41. Belady's anomaly happens in \_\_\_\_\_ page replacement policy.  
 (A) FIFO (B) LRU  
 (C) LFU (D) NRU
42. In operating system, a thread is considered as \_\_\_\_\_.  
 (A) Heavy Weight Process (B) Light Weight Process  
 (C) Process (D) Program





43. In operating system, Inter Process Communication (IPC) is required for \_\_\_\_\_ activity.  
 (A) cache (B) DMA  
 (C) synchronization (D) disk
44. Paging is a \_\_\_\_\_ management function in operating system.  
 (A) CPU (B) memory  
 (C) disk (D) process
45. What do you mean by best fit algorithm in memory management ? Select the correct option.  
 (A) Allocate the program to a specific memory partition which is the smallest available partition to be able to allocate the whole program.  
 (B) Allocate the program to a specific disk partition which is the smallest available partition to be able to allocate the whole program.  
 (C) Allocate the process to a specific memory partition which is the smallest available partition to be able to allocate the whole process.  
 (D) Allocate the process to a specific disk partition which is the smallest available partition to be able to allocate the whole process.
46. In operating system, Banker's algorithm is used for \_\_\_\_\_.  
 (A) Mutual exclusion (B) Deadlock recovery  
 (C) Deadlock avoidance (D) Cache allocation
47. In operating system, a state is considered as \_\_\_\_\_ only if the system is capable of allocating resources to each process following resource allocation methods avoiding deadlock situation.  
 (A) starvation (B) greedy allocation  
 (C) unsafe state (D) safe state
48. SCAN, C-SCAN, LOOK, C-LOOK are types of \_\_\_\_\_ scheduling.  
 (A) process (B) CPU  
 (C) memory (D) disk
49. In Computer Network, TFTP means \_\_\_\_\_.  
 (A) Transition File Transfer Protocol (B) Transport File Transfer Protocol  
 (C) Trimmed File Transfer Protocol (D) Trivial File Transfer Protocol
50. In Computer Network, SGMP means \_\_\_\_\_.  
 (A) Simplex Gateway Monitoring Protocol  
 (B) Simplex Gateway Memory Protocol  
 (C) Simple Gateway Monitoring Protocol  
 (D) Simple Gateway Memory Protocol
51. In computer network, Token Ring (IEEE 802.5) is a type of \_\_\_\_\_.  
 (A) monitoring protocol (B) communication protocol  
 (C) visibility protocol (D) chaos protocol



52. In network, a \_\_\_\_\_ device can transmit data in bi-directional way at a particular time instance.  
 (A) simplex (B) half duplex  
 (C) multiplex (D) full duplex
53. IEEE 802.2 specifies LLC which means \_\_\_\_\_.  
 (A) logical link control (B) logistic link control  
 (C) length-wise link control (D) layer link control
54. In computer network, Open Systems Interconnection model has seven layers within which \_\_\_\_\_ layer is used for routing.  
 (A) application (B) network  
 (C) session (D) transport
55. In computer network, \_\_\_\_\_ helps to find out hardware address of a host from its known IP address.  
 (A) Address Resolution Protocol  
 (B) Reverse Address Resolution Protocol  
 (C) Simple Network Management Protocol  
 (D) Simple Mail Transfer Protocol
56. In computer network, error control is considered as a function of \_\_\_\_\_ layer.  
 (A) Application (B) Presentation  
 (C) Session (D) Data link
57. If hexadecimal notation of an IP address is F32C1483, then the equivalent decimal notation (separated by dot) is \_\_\_\_\_.  
 (A) 241.44.20.131 (B) 243.42.20.135  
 (C) 243.44.20.131 (D) 243.44.20.135
58. Based on DBMS, choose the correct option for composite attribute.  
 (A) Address (B) Birth date  
 (C) Phone number (D) Age
59. In DBMS, what do you mean by a tuple ?  
 (A) One column (B) Two columns  
 (C) One row (D) Two rows
60. Rho ( $\rho$ ) indicates \_\_\_\_\_ in relational algebra.  
 (A) Selection (B) Projection  
 (C) Rename (D) Join
61. Normalization is the technique to organize data in database to \_\_\_\_\_ redundancy.  
 (A) maximize (B) minimize  
 (C) average (D) diffuse
62. In DBMS, a relation is having \_\_\_\_\_ Normal Form if it contains an atomic value.  
 (A) First (B) Second  
 (C) Third (D) Fourth



63. In software engineering, the tester does not know the internal designs of the software application in case of \_\_\_\_\_ testing.  
 (A) White box (B) Black box  
 (C) Acceptance (D) Beta
64. In software engineering, context diagram is termed as \_\_\_\_\_.  
 (A) Level 0 DFD (B) Level 1 DFD  
 (C) Level 2 DFD (D) Level 3 DFD
65. In software engineering, SRS means \_\_\_\_\_.  
 (A) System Requirements Specification (B) System Readable Specification  
 (C) Software Requirements Specification (D) Software Readable Specification
66. In software engineering, degree of interdependence between software modules is termed as \_\_\_\_\_.  
 (A) data (B) coupling  
 (C) control (D) pointer
67. In software engineering, Alpha testing is the product testing executed by \_\_\_\_\_.  
 (A) Development team (B) Friendly set of customers  
 (C) Management team (D) Beta Testing team
68. In Software Engineering, COCOMO means \_\_\_\_\_.  
 (A) Constructive Cost Model (B) Conclusive Cost Model  
 (C) Constructive Cohesion Model (D) Conclusive Cohesion Model
69. Which of the following option is not a software life cycle model ?  
 (A) Waterfall model (B) Prototyping model  
 (C) Spiral model (D) Seed model
70. In Software Engineering, Build and Fix model has \_\_\_\_\_ number of phases.  
 (A) 1 (B) 2  
 (C) 3 (D) 4
71. In software engineering, Waterfall model maintains the sequence of stages as follows:  
 (A) Testing the Product → Requirement Analysis and Planning → Designing the Product Architecture → Building or Developing the Product → Feasibility Study → Deployment in the Market and Maintenance.  
 (B) Requirement Analysis and Planning → Feasibility Study → Designing the Product Architecture → Building or Developing the Product → Testing the Product → Deployment in the Market and Maintenance.  
 (C) Designing the Product Architecture → Requirement Analysis and Planning → Feasibility Study → Building or Developing the Product -> Testing the Product → Deployment in the Market and Maintenance.  
 (D) Feasibility Study → Requirement Analysis and Planning → Designing the Product Architecture → Building or Developing the Product → Testing the Product → Deployment in the Market and Maintenance.



72. In machine learning, Bayes error rate is considered as the \_\_\_\_\_ possible error rate for a given class of classifier.  
 (A) highest (B) medium  
 (C) lowest (D) median
73. Markov property supports \_\_\_\_\_.  
 (A) only current state (B) current & previous states  
 (C) only previous state (D) only next state
74. In machine learning, \_\_\_\_\_ is considered as the generalized formula of distance measurement.  
 (A) Distance metric (B) Minkowski metric  
 (C) Classification (D) Clustering
75. In machine learning, Viterbi path is used in \_\_\_\_\_.  
 (A) dynamic programming algorithm for clustering  
 (B) dynamic programming algorithm for classification  
 (C) static programming algorithm for clustering  
 (D) static programming algorithm for classification
76. In machine learning, CART is a \_\_\_\_\_.  
 (A) classification and regression tree based algorithm  
 (B) clustering and regression tree based algorithm  
 (C) decision tree algorithm  
 (D) artificial neural algorithm
77. In machine learning, perceptron can be considered as artificial \_\_\_\_\_.  
 (A) neutron (B) neuron  
 (C) nucleus (D) atom
78. In linear discriminant function based classifier, decision boundary is considered as \_\_\_\_\_.  
 (A) plane (B) hypoplane  
 (C) hyperplane (D) pseudoplane
79. In hierarchical clustering, CF tree is \_\_\_\_\_ tree which stores clustering features.  
 (A) weight balanced (B) width balanced  
 (C) height balanced (D) not a balanced
80. Loss function states \_\_\_\_\_ in Bayesian decision theory.  
 (A) normal distribution (B) normal density  
 (C) exactly how cheap each action is (D) exactly how costly each action is



Category-II (Q 81 to 100)

(Carry 2 marks each. One or more options are correct. No negative marks)

81. What is the output of the following program ?

```
#include <stdio.h>
void main( )
{
    int z=50;
    printf("%d", z++++++z);
}
```

- (A) 53 (B) Compiler error  
(C) 52 (D) lvalue required

82. Select the memory handling functions from the following options :

- (A) malloc (B) free  
(C) calloc (D) realloc

83. Which of the following are good reasons to use an object oriented language ?

- (A) you can define your own data types  
(B) an object oriented program can be taught to correct its own errors  
(C) it is easier to conceptualize an object oriented program  
(D) you can use polymorphism

84. In view of object oriented programming, select the correct statement(s).

- (A) Constructors return values  
(B) Constructors do not return values  
(C) Constructors cannot be overloaded  
(D) Destructors do not have return values

85. In unix/linux platform, which of the following statement(s) is(are) not correct ?

- (A) vim editor is the improved version of vi editor  
(B) vi editor commands are not case sensitive  
(C) vi editor has two modes of operation: command mode and insert mode  
(D) vi is not a text editor

86. Example of linear data structure is \_\_\_\_\_.

- (A) Linked-list (B) Graph  
(C) Tree (D) stack



87. In operating system, process means \_\_\_\_\_.
- (A) a program in high level language      (B) instance of a computer program  
(C) a job in secondary memory      (D) a program in execution
88. Which type of operating system fetches data and gives response in terms of actual time ?
- (A) Time sharing system      (B) RTOS  
(C) Real-time operating system      (D) Job processing system
89. In operating system, fork is \_\_\_\_\_.
- (A) dispatching of a task      (B) creation of a child process  
(C) creation of a new process      (D) increasing priority of a task
90. In operating system, file attributes are \_\_\_\_\_.
- (A) Name      (B) Type  
(C) Location      (D) Processor
91. Producer-consumer is a \_\_\_\_\_ problem in operating system level.
- (A) deadlock      (B) synchronization  
(C) memory      (D) multi-process synchronization
92. What do you mean by binary semaphore ? Select the correct option(s).
- (A) Only one entity can access the critical section at any time instance.  
(B) Make available several access tokens to a given critical section.  
(C) It can have only two values (0, 1).  
(D) It can have only three values (-1, 0, +1).
93. Select the protocol(s) utilized for delivering email over Internet.
- (A) FTP      (B) SMTP  
(C) POP      (D) IMAP



94. IPv4 header consists of \_\_\_\_\_.
- (A) Version (B) TTL  
(C) Source IP address (D) Destination IP address
95. Choose the correct option(s) for functions of DBMS.
- (A) Concurrency (B) Non-shareable database  
(C) Backup and recovery (D) Database schema
96. Select the correct option(s) regarding "Union" and "Union All" in SQL.
- (A) "Union" removes duplicate rows.  
(B) "Union" does not remove duplicate rows.  
(C) "Union all" removes duplicate rows.  
(D) "Union All" does not remove duplicate rows.
97. Choose of the correct option(s) for the type of ordered index used in DBMS.
- (A) Light index (B) Dense index  
(C) Sparse index (D) Thread index
98. Select the correct option(s) for query processing in DBMS.
- (A) Parsing (B) Translation  
(C) Optimization (D) Evaluation
99. Select the process metrics used in software engineering for typical measurements to evaluate the performance of the proposed system.
- (A) Productivity (B) Error Rate  
(C) Plan (D) Efficiency
100. In Support Vector Machine (SVM), hyperplane is selected based on \_\_\_\_\_.
- (A) largest separation between two classes  
(B) shortest separation between two classes  
(C) average margin between two classes  
(D) largest margin between two classes



JECA-2022

SPACE FOR ROUGH WORK

